

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problems Mailbox.**

**THIS PAGE BLANK (USPTO)**

EP 0180384 (1)  
G01N33/545-G01N33/553-

2- BASIC DOC.-

G01N33/545

(11) Publication number:

**0 180 384**  
**A3**

Offic ur pé nd s brev ts

(12)

## EUROPEAN PATENT APPLICATION

(21) Application number: 85307513.3

(51) Int. Cl.<sup>4</sup>: **G 01 N 33/546**  
**// G01N33/553**

(22) Date of filing: 17.10.85

(30) Priority: 01.11.84 US 667514

(71) Applicant: **TECHNICON INSTRUMENTS CORPORATION,**  
**511 Benedict Avenue, Tarrytown, New York 10591 (US)**

(43) Date of publication of application: 07.05.86  
Bulletin 86/19

(72) Inventor: **Cohen, Berl, 177 White Plains Road, Tarrytown**  
**New York 10591 (US)**  
Inventor: **Wong, Tak K., 92 Filbert Street, Hamden**  
**Connecticut 06514 (US)**  
Inventor: **Hargitay, Bartholomew, 15 Edna Street, White**  
**Plains New York 10606 (US)**

(84) Designated Contracting States: **BE CH DE FR GB IT LI**  
**NL SE**

(88) Date of deferred publication of search  
report: 30.09.87 Bulletin 87/40

(74) Representative: **Waln, Christopher Paul et al, A.A.**  
**THORNTON & CO. Northumberland House 303-306 High**  
**Holborn, London WC1V 7LE (GB)**

(54) **Magnetically responsive reagent carrier and method of preparation.**

(57) A stable magnetically responsive, substantially remanence-free reagent carrier comprises an iron oxide colloiddally dispersed in a smooth particulate polymeric matrix having preferentially a hydrated diameter of from about 0.5 to about 100  $\mu\text{m}$ . The reagent carrier is prepared by a process which includes incorporating iron salts by passive transport into substantially spherical, water-swellaable polymeric matrices, converting in situ the iron salts so-incorporated into their respective iron oxides. The carrier with a reagent attached thereto is useful inter alia in immunoassays.

**EP 0 180 384 A3**

**THIS PAGE BLANK (USPTO)**

- 1 -

**MAGNETICALLY RESPONSIVE REAGENT CARRIER  
AND METHOD OF PREPARATION**

---

This invention relates to a magnetically responsive reagent carrier and to its preparation. The carrier particles can be coupled to or otherwise associated with reactive groups, such as enzymes, haptens or antibodies, and used as carriers  
5 for analytical reagents, for example in performing assays.

Magnetically responsive or attractable particles have been produced by several methods which incorporate magnetite, ferrite, chromium oxide or nickel powders into matrices to which reagents can subsequently be coupled.

10 In one such method, a magnetically responsive powder is suspended in a solution of a polymer which is then gelled or precipitated to form a solid mass. The solid so obtained is ground or milled to obtain an insoluble powder in which ferromagnetic granules are immobilized. See, for  
15 example, Robinson et al, Biotechnol. Bioeng. 15:603 (1973) and Pourfarzaneh et al, Methods of Biochemical Analysis, 28:281-3 (1982). The resulting particles are mostly oblong, jagged and of irregular size and shape, and so exhibit poor flow properties. In addition, the number and mass of magnetic  
20 granules in individual particles are uncontrolled.

---

Another method involves the deposition of polymeric coatings on ferromagnetic powders by coacervation; for example, by the deposition and subsequent cross-linking of albumin onto barium ferrite or magnetite. See Ithakissios, et al, Clin. Chem., 23:2072 (1977) and Widder et al, Clin. Immunol. and Immunopathol., 14:395-400 (1979). Other approaches to polymer-coated particles use polymerization, e.g. amide and/or methacrylamide with crosslinkers in the presence of magnetite, in a two phase (water/oil) system. Also, magnetite particles themselves have been used as redox polymerization initiators. See Kronick et al, Science, 200:1074 (1978).

The traditional methods for producing such particles have relied on ferromagnetic powders or particles. The particles generally exceed the critical size of a magnetic domain and, therefore, possess a substantial magnetic remanence. Remanence is the magnetic induction that remains in a material after removal of the magnetizing force. It is this property which causes such particles to remain aggregated, even in suspensions, after a magnetic field, to which they have been exposed, is removed. Such particles are often spontaneously aggregated by the ambient terrestrial magnetic field. Hence, these particles are unsuited for use in automated assay systems which measure reaction rates, rather than end points, since such measurements require the periodic resuspension and redispersion of the particles.

To avoid problems associated with magnetic remanence, several methods have been developed which use superparamagnetic, rather than ferromagnetic, materials for the particles. Superparamagnetic materials, such as "ferrofluids", exhibit a very high magnetization at saturation (over 600 Gauss) and no magnetic remanence in the absence of an external magnetic field. Examples include the microencapsulation of oil-based ferrofluids (see Kakimi et al, U.S.

Patent No. 4,342,739) and the polymerization of aldehydes in the presence of aqueous ferrofluids. See Rembaum et al, J. Macromolecular Science, Chemistry, A13:603-632 (1979); Rembaum, U.S. Patent No. 4,267,234; Larsson, et al, Biotechnology Letters, 1:501-506 (1979); and Molday, et al, Nature, 268:437-438 (1977). However, due to their very small size, these particles exhibit a very slow magnetic response. Further, the aqueous systems are susceptible to oxidation, so that these particles must be prepared fresh for each use or stored under an inert atmosphere.

Another such method "entraps" colloidal magnetite (a water-based ferrofluid) into or onto gel particles by prolonged contact with Sepharose beads. These particles leak iron oxide which prevents them from being useful in optical density or absorption measurements. See Griffin & Mosbach, App. Biochem. and Biotech., 6:283-292 (1981). These particles, therefore, are unstable, in that they do not retain permanently the iron oxide entrapped therein.

Another method has been described which provides a diluted array of superparamagnetic crystals in a glassy matrix. See Mansfield et al, U.S. Patent No. 4,297,337. These particles must be kept extremely small, e.g. less than one micron in diameter, to prevent their high specific gravity causing rapid sedimentation. The magnetic force on such small particles is very weak. Therefore, the fast magnetic responsiveness necessary for automated analytical systems cannot be achieved.

Thus, in summary, although magnetically responsive carrier particles have been prepared and used as reagent carriers in immunoassay procedures, each possessed characteristics which were undesirable for, and compromised their usefulness in, automated immunoassay systems.

In contrast to the limitations of the carrier particles of the prior art, the present invention provides magnetically responsive carrier particles useful particularly, but not exclusively, in automated, non-isotopic immunoassays. Their smooth surface and spherical shape permit them to be pumped through long, narrow conduits, such as in continuous flow analyzers, without clogging. The particles can be caused to migrate freely in a liquid medium or to be immobilized by means of an inhomogeneous magnetic field. For example, when drawing them to the side or bottom of an optical cuvette, a clear supernatant is rapidly obtained for photometric analysis. In the absence of such a magnetic field, these particles are easy to disaggregate and disperse into suspension in the liquid medium, as they exhibit extremely low magnetic remanence. The ease of repeated magnetic sedimentation and resuspension allows for reaction rates, rather than just end points to be determined. Their small size and low relative specific gravity provide a very slow sedimentation rate. This, combined with their excellent chemical and physical stability, allows assay reactions to continue over an extended time period.

Accordingly, the invention provides a stable magnetically responsive, substantially remanence-free particulate reagent carrier useful, for example, in immunoassay procedures. The particulate reagent carrier comprises particles, or beads, each formed of a water-insoluble matrix, e.g. a gel, swellable in an aqueous solution having colloiddally dispersed therein superparamagnetic granules. Preferably, each matrix particle has a hydrated dimension of about 0.5 to 100  $\mu\text{m}$  and a smooth, substantially spherical surface having an axial ratio lower than 4:1. Preferably, the superpara-



magnetic granules, e.g. iron oxides, are present in sufficient quantity to impart a specific gravity of between 1.2 and 2.7 to said hydrated particles.

5       The particles are prepared by a process which includes incorporating by passive transport iron compounds into substantially spherical, water-swellaable crosslinked polymeric matrices, then, converting the iron compounds so-incorporated in situ to their respective iron oxides. The iron  
10       matrices and impart superparamagnetic properties to the resulting particles.

      The term "colloidal" as used herein designates the size range of 5 to 500 nm. Particles in this size range are  
15       generally unstable unless stabilized by electrostatic forces or by steric hindrance. The latter is provided by the polymeric gel structure surrounding the magnetic substance.

      The term "magnetically responsive" as used herein refers  
20       to the capacity of the particles to migrate, relative to their surroundings, under the influence of an external inhomogeneous magnetic field.

Preferred embodiments of the present invention include a stable magnetically responsive, substantially remanence-free reagent carrier or particle and a method of its preparation. Specific terms in the following description, which refer only to a particular embodiment, are exemplary of all of the embodiments unless otherwise indicated.

- 10 The reagent carrier or particle comprises a polymeric matrix, in which the magnetic substance is incorporated, is water insoluble but swellable in an aqueous medium. In its swollen state, the matrix is permeable to soluble iron compounds, such as iron salts or soluble compounds of nickel and chromium. In an aqueous medium close to neutral pH and at  
15 room temperature, the matrix is chemically and mechanically indefinitely stable. The matrix can tolerate extremes such as strong acids or bases for times sufficient to complete the fabrication process and also is resistant to boiling water for hours. The particle formed of such matrix is substan-  
20 tially spherical, having an axial ratio less than about 4:1; has a smooth, non-ragged surface. Such particle has a diameter of 0.5 to 500  $\mu\text{m}$ , preferably 5 to 50  $\mu\text{m}$ . The surface of the particle has functional groups which can be activated for coupling chemistry, to attach antibodies, antigens,  
25 haptens, enzymes and other reagents to the particle. Two parameters which have been found to be particularly important are the crosslink density of the matrix material, e.g. a gel, and the diameter of the particles. The proper choice of both determines to a large extent the performance of the  
30 overall particle.

4

First, the crosslink density, or the water regain, of the matrix material determines the amount of iron compounds that can be incorporated during particle preparation. The larger the water regain, because of lower crosslink density, the more iron compound is incorporated per particle. However, too weakly crosslinked matrices have inherent disadvantages. Due to the large "pores", large molecules present in the milieu can diffuse into the matrix, which may result in interferences, e.g. non-specific binding, when the matrix is used as a reagent carrier in an immunoassay. Also, such matrices, when swollen, are inherently soft and mechanically weak, easily deformed and/or abraded. During further processing, the temporarily harsh conditions of very low and high pH may cause breakage of some crosslinks, which in weakly crosslinked matrices may cause significant changes in the properties of the particles. For highly crosslinked materials, this change is insignificant. Matrix materials which show an initial water regain of 5 to 20 ml/g are particularly well suited as reagent carriers. Matrix materials of lower regain can also be used, but multiple loading of the magnetic material may be necessary, as described below.

The size of the particles is also important for satisfactory performance. The hydrodynamic drag on a sphere increases as the square of its diameter, while the magnetic pull, and also the gravitational force, acting on it increases as the cube of its diameter. Therefore, for fast migration within the surrounding liquid or reaction mixture, a large particle is desirable. On the other hand, to optimize the total binding surface available to couple reagents, small-sized particles are desired. Accordingly, to obtain particles which exhibit sufficient high mobility and sufficient surface area, and thus balance these requirements, particles should have a diameter of from about 3 to about 60  $\mu\text{m}$ , preferably 20 to 40  $\mu\text{m}$ , usually designated by the wet-mesh size of -400.

Regarding the composition of the matrix material, several crosslinked hydrophilic polymers have been evaluated. Some were found to have suitable properties, as described, while others did not and were useless as reagent carriers. An example of a useful material is a crosslinked polyacrylamide gel, such as Biogel (BioRad Laboratories, Richmond, CA), in which the iron oxides formed predominantly inside the gel matrix and only insignificant amounts formed on the surface or between the particles. In contrast is the crosslinked polysaccharide known as Sephadex (Pharmacia Fine Chemicals, Piscataway, NJ) which for no obvious reason appears to exclude iron salts, i.e., when attempting to prepare particles as described below, the iron hydroxide and/or iron oxide predominantly forms on the surface of the gel particles.

The invention provides a process of preparing magnetically responsive particles or reagent carriers using polymeric matrices. This process involves incorporating by passive transport iron compounds along with water into the spherical swellable, crosslinked polymeric matrices; converting in situ the iron salts so-incorporated to their respective iron oxides. The resulting iron oxides remain colloiddally dispersed within the polymeric matrix.

The term "swellable", as used herein, intends the property of the matrix material to absorb a fluid medium, usually aqueous, with or without an accompanying increase in the volume of such material.

According to the invention, the dry gel particles are contacted with a solution of iron salts to cause the gel to swell and to introduce by passive transport the iron ions into the interior of the particle. Although it is not a necessary condition, the preferred solvent is water. Anhydrous iron chlorides as well as some non-ionic compounds, e.g. iron carbonyl, are also soluble in organic solvents and can

in principle be used to "load" the particles. A variety of iron salts can be used as long as a concentrated solution can be prepared. Again, for reasons of convenience, the chlorides,  $\text{FeCl}_2$  and  $\text{FeCl}_3$  are preferred.

5       The ratio of the ferrous to ferric salts is important. While the particles prepared with ferric ions alone show negligible magnetic properties, ferrous salts yield a product of considerable magnetic susceptibility. A ratio of ferric to ferrous of 2:1 yields a mixed oxide of the composition of magnetite  $\text{Fe}_3\text{O}_4$ . Ratios within the range of 2:1 to 1:2 all yield magnetically responsive products. Because of oxidation by air during processing, it is advantageous to use more ferrous salts than required by theory.

15       Ferric chloride in water and at room temperature undergoes rapid partial hydrolysis leading to super polycations which have increased size and also high positive charge. Both effects can cause reduced permeation of the salts into the polymeric network after short initial permeation. Consequently, uneven iron penetration is observed. Therefore, it is advantageous to suppress the formation of such less-diffusing species by the addition of salts which stabilize aqueous solutions of ferric ions. While a concentrated (1.6 molar) solution of  $\text{FeCl}_3$  turns turbid in a few hours, addition of sodium sulfite in less than 0.2 molar ratio causes the solution to stay clear, albeit deep brown-red. The loading of the gel particles with iron salts in the presence of bisulfite yields an even and uniform product. Subsequently, in the preparation of the particles, this bisulfite is washed out.

30       Contacting of the mixed salt solution with the dry gel particles is done such that no interstitial liquid remains by the time the particles have swollen to their full capacity. The end-point of swelling is easily detected by the observation of a "sparkling" yellow appearance not unlike a projec-

tion seen.

The next step in the preparation is the conversion of the iron salts to their respective iron hydroxides within the particles. To this end, the pH is raised over 7 by submerging the gel particles in an alkaline medium. In principle, NaOH,  $\text{Na}_2\text{CO}_3$ , gaseous ammonia or other bases can be used, but the preferred one is a chilled dilute (3%) ammonia solution. The ammonia is volatile and, therefore, its excess can easily be boiled off later in the preparation. After prolonged stirring, the supernatant is decanted and discarded. The particles are then washed with copious amounts of water and allowed to equilibrate, at each washing, for at least 30 minutes, until the final supernatant shows no alkalinity, e.g., has a pH of 7.6 or less.

In the next step, the mixed iron hydroxides incorporated and trapped in the gel particles are converted to oxides by heat treatment. The dark brown particles are resuspended in de-ionized water and boiled for an hour. It is during this period that the magnetic response develops, owing to dehydration of iron hydroxide within the polymer network to form iron oxide, predominantly  $\text{Fe}_3\text{O}_4$ . After this dehydration, the gel particles are thoroughly washed to remove all soluble materials. It can be observed through the microscope that very small amounts of iron oxide cling to the surface of the gel particles which can be removed in an ultrasonic field. Therefore, the gel particles are transferred onto a nylon mesh of about 20  $\mu\text{m}$  openings. By gently raising and lowering this sieve in an ultrasonic bath filled with de-ionized water, the "exomagnetite" shakes loose and falls through the screen. After several minutes of sonication, particles are harvested which have a smooth shiny surface and are very responsive to an inhomogeneous magnetic field.

An alternative method of iron oxide precipitation uses an organic base. In this procedure, the saturated swollen gel particles are washed on a glass filter with a 5% dimethyl-

formamide (DMF) in acetone solvent to remove the small amounts of iron solution wetting the surface of the gel. After a short period of air drying, the organic base 4-amino-methyl piperidine is added in aqueous solution to precipitate the iron oxides inside the particles. This method leads to particles which do not have any visible iron oxides on their surface and therefore do not need subsequent purifications by ultrasonic treatment. The clean particles are then air dried or kept as a slurry in a stoppered flask.

10

The magnetic response of the beads can be measured simply by weighing them in a standardized vial which can be placed on top of a strong permanent magnet. The difference in weight with and without the magnet in place is designated as "pull" and is compared with the pull observed with the same volume of finely ground magnetite or barium ferrite powder. Using the procedures described above, particles can easily be made which have a measured pull of at least 0.4 times that of barium ferrite and 0.20 times that of precipitated magnetite powder (Fisons Ltd., Leics. U.K.). Magnetic carrier particles with this kind of susceptibility are able to exhibit a migration rate of over 5 mm/second under the influence of a strong magnetic force in a medium of one centipoise viscosity.

25

If an even higher magnetic mobility is desired, there are two techniques available to accomplish this. The first, termed "multiple loading", increases the magnetic force acting on each particle. The second, termed "roasting", decreases the hydrodynamic drag acting on the particles. Although the particles tend to become aggregated by the magnetic field, and aggregates move faster in the inhomogeneous magnetic field than do the individual particles, both techniques increase the rate at which the particles can be magnetically moved in the surrounding solution.

35

The magnetic properties of the particles, prepared as described above, can be enhanced by "multiple loading" with iron salts. For example, the particles, formed as described above, may be finally dehydrated by acetone followed by air drying or drying in a stream of nitrogen. These dry particles can be subjected again, one or more times, to the complete process, as described. The resulting magnetic susceptibility of the final particles is considerably higher and more so for a triple-loaded material. In this process of multiple loading, the diameter of the particle is kept constant (same hydrodynamic drag) but the magnetic response of each particle is increased by virtue of its increased iron oxide content. After multiple loading, the iron oxide may constitute 50% or more by weight of the particle.

Another method, referred to as "roasting", increases the magnetic-hydrodynamic mobility by decreasing the hydrodynamic drag at constant force acting on the particle. This is accomplished by introducing added crosslinks into the gel in the weakly swollen or unswollen state. For example, polyacrylamide eliminates ammonia on heating above 200°C to form imides. Both interchain and intrachain eliminations are possible (to diacrylimide bridges and/or to glutarimides, respectively), both tending to reduce the swelling capacity of the polymer. Intrachain elimination reduces the hydrophilicity and flexibility of the chains. Interchain elimination reduces the volume to which the gel particle expands on swelling. The result is a particle which is more mobile in a magnetic field than its precursor, because of reduced drag as a consequence of smaller diameter. If roasting is performed on particles not previously polished by sonication, the reaction causes fusion of the external iron oxide to the surface of the particles. The so-generated oxide-rich surface can then be used for the chemical activation of the particles for coupling. Reference is made to Example III, hereafter.



4

The particles of the invention can be associated with a variety of reactive groups to provide a reagent, particularly, but not exclusively, useful in automated non-isotopic immunoassays. These particles carry reactive sites predominantly on their surface and can be caused either to migrate or to be immobilized at will by means of an inhomogeneous magnetic field. In the absence of such a magnetic field, these particles are easy to disperse and to resuspend in a surrounding medium because of their very low magnetic remanence and, by virtue of their small size and low relative specific gravity, their sedimentation rate is low.

While magnetically responsive reagent carriers are known in the art, none have exhibited features comparable with those of the particles of this invention, so as to be particularly useful in automated immunoassays. Because the particles have a spherical smooth surface, they can be pumped through long narrow tubes, e.g., having internal diameters of less than 1 mm, without clogging, as are required in continuous-flow analyzers such as disclosed in U.S. Patent 4,141,687 (assigned to us). These particles, when magnetically sedimented, leave a clear supernatant and, therefore, do not interfere with the colorimetric response of the assay. Further, because of their low magnetic remanence, in the absence of a magnetic field, the particles can be redispersed or resuspended in the supernatant by gentle shaking, permitting reaction rate (rather than just end point) determinations through repeated cycles of magnetic sedimentation and resuspension in the supernatant.

While a variety of reactive groups can be coupled to the surface of said particles, the primary interest lies in either catalytic moieties (e.g. enzymes) or immunologically active ligands such as antibodies, antigens or haptens.

The particles, when coupled to haptens, can be used advantageously in a one-step extraction of specific antibodies from a suspension, e.g. ascites fluids, by stirring them into the suspension and then drawing them out by an inhomogeneous magnetic field. This simple operation replaces, therefore, centrifugation or filtration followed by an affinity chromatography.

The particles can also be advantageously used to recover specific chemicals (e.g., valuable or toxic ions) from suspensions containing other particulate solids, which precludes chromatographic separation. Any such chemicals can be recovered by coupling ligands to the particles of this invention which complex with these specific chemicals. Once complexed, these specific chemicals can be magnetically separated and retrieved.

The following working examples describe experiments which were performed in developing the present invention. Standard, commercially available reagent grade chemicals were used whenever possible.

EXAMPLE I

This example presents a step-by-step preparation of magnetically responsive particles in accordance with the invention, that have improved properties, making them particularly useful for automated immunoassays.

5

A solution of 43.5 g of  $\text{FeCl}_2 \cdot 5 \text{H}_2\text{O}$ , 30.0 g of  $\text{FeCl}_3 \cdot 6 \text{H}_2\text{O}$  and 4.5 g of  $\text{Na}_2\text{S}_2\text{O}_5$  was prepared in 57 mL of de-ionized water. This solution was reddish brown and limpid (density 1.39), and contained about 37% solids;  $\text{Fe}^{2+}:\text{Fe}^{3+} = 2:1$ .

10 A 90 mL portion of this solution was added to 60 g of dry spherical polyacrylamide particles (Bio-Gel P-4 Extra Fine, BioRad, supra) in a beaker and gently stirred for 30 minutes. The solution was heated slowly in a water bath to  $55^\circ\text{C}$  and continually stirred to ensure uniform rate of particle swelling.  
15 ing. As the solution was taken up by the swelling particles, stirring became more difficult until finally the brown mass turned bright yellow, signaling that the interstitial liquid has vanished. Stirring was maintained until the particles were free flowing. Then, the beaker was removed from the  
20 bath and cooled to room temperature.

The swollen particles so-prepared were added to 900 mL of a 3% ammonium hydroxide solution chilled to below  $5^\circ\text{C}$  in a large glass beaker and continually stirred. Ice was added to  
25 maintain the temperature around  $5^\circ\text{C}$ . After 30 minutes, the supernatant was decanted. The particles, which had turned dark greenish-brown, were washed six times with de-ionized water, allowing each time about 30 minutes for equilibration, to remove the excess ammonia and ammonium chloride.

30

After washing, the solids were suspended in 1.5 liters of de-ionized water and the suspension was brought to a boil with frequent stirring. Boiling was maintained for 60 minutes. The brown color of the particles gradually turned to

black. The magnetic properties had now developed, as could be seen by placing a strong magnet to the wall of the beaker. After boiling, the particles were washed again with water at room temperature to remove all soluble material. Decantation  
5 was facilitated by the magnetic properties of the particles. After several washes, the boiling cycle and wash cycle were repeated and the particles were dispensed into a glass cylinder closed off at its bottom by a nylon screen of 20 um openings (Nytex-3).

10 The cylinder was lowered into an ultrasonic bath containing de-ionized water and, while sonicating, the cylinder was slowly raised and lowered, causing the water to pass in and out of the glass cylinder through the screen. Loose iron  
15 oxide which formed in small amounts (a few percent of total) on the surface of the particles fell through the screen and was visible by its dark color. Microscopic examination showed that the originally dull-surfaced brown particles had become shiny, uniformly brown and transparent.

20 The final particles were air dried and weighed. The increase of weight, due to colloidal iron oxide trapped in the gel matrix, amounted to 25% of the original dry particle, or approximately 20% of the final particle. The magnetic  
25 susceptibility was determined by measuring the weight increase of a standard volume of the particles in a strong inhomogeneous magnetic field. Compared with pure precipitated magnetic iron oxide (Fison's Ltd., supra), the carrier was 0.25 times as susceptible. Fully water swollen particles had a specific gravity of about 1.35.

30 For even higher magnetic susceptibility, the whole process was repeated several times. It was possible to increase the magnetic force by a factor of 2.8 by doubly loading and by 3.8 by triply loading the particles. The multiply loaded  
35 particles have a considerably higher specific gravity which manifests itself in a higher sedimentation rate.

EXAMPLE II

This example illustrates a method for eliminating the formation of magnetic iron oxides on the particle surface. This is accomplished by washing traces of the iron salts from the surface of the particles, prior to treatment with base, with a solvent which does not extract the iron salts from the interior of the swollen particle.

A stock solution of iron salts was prepared from 400 g  $\text{FeCl}_3 \cdot 6 \text{H}_2\text{O}$ , 200 g  $\text{FeCl}_2 \cdot 4 \text{H}_2\text{O}$  and 600 mL distilled water. An 80 mL portion of this solution was added to 10 g polyacrylamide particles (P-4, -400 mesh from BioRad, supra) and heated to  $50^\circ\text{C}$  for 30 minutes to swell the particles. The suspension was transferred to a sintered glass funnel of medium pore size and excess solution was removed by suction. The particles were then washed with 100 mL solution of 5% dimethylformamide (DMF) in acetone, followed by four washes with 50 mL of the same solution. Then 50 mL of an aqueous solution of 10% 4-aminomethyl piperidine were added. After stirring for ten minutes, the particles were washed three times with 100 mL 0.001N NaOH solution and boiled in the last wash for 30 minutes. The particles were then washed again with distilled water and air dried. The surface of the particles, so prepared, was free of any adhering iron oxides. Thus, this method avoids the need for purification of the particles by sonication.

The carrier particles of Examples I and II exhibited no physical or chemical degradation over extended periods, i.e., greater than six months. Hence, these particles define a stable reagent carrier.

EXAMPLE III

The mobility in a surrounding liquid medium of the particles of the invention can be increased by reducing their diameter while maintaining their iron content. This example demonstrates a method for introducing additional crosslink-  
5 ing in the gel particle in the unswollen state.

A 20 g portion of gel particles, prepared as described in Example II, was introduced into a 500 mL flask, to which 20 glass beads, 6 mm in diameter, were added. The flask was  
10 mounted on a rotary evaporator with the condenser removed and immersed in a silicon oil bath heated to above 250°C for 2 hours, while maintaining slow rotation. The glass beads prevented the gel particles from clumping or aggregating.  
15 Amonia evolved, indicating the formation of additional crosslinks in the gel particles. The resulting particles do not swell appreciably in aqueous solution. Their magnetic response under water, on a volumetric basis, is up to 4 times  
20 greater than the same particles which were not so-treated.

EXAMPLE IV

This example demonstrates that the particles of the present invention exhibit a relatively high magnetic permeability with very low magnetic remanence.

5       The gel particles, prepared by Example I, were placed in a cylindrical tube. The tube was placed in a magnetic field of 3000 ampere-turns and the resulting magnetic induction was measured with a Bell gaussmeter. (The field applied was not strong enough to cause saturation.) When the generating  
10       current of the solenoid was shut off, the magnetic remanence was measured on the gaussmeter. The following table shows that the ratio of the remanent flux density (remanence) to the permeability (at 3000 ampere-turn field) is negligible in the case of the particles of this invention compared with the  
15       other particles tested. The comparison of the disclosed particles, when dry and when swollen, shows that the colloidal magnetite generated therein is essentially free to rotate when the gel is swollen, while partially hindered from rotation when the gel is dried.

0180384

- 20 -

303

- 303 -

<u>Sample</u>	<u>Mag. Flux Density (Gauss)</u>	<u>Permeability</u>	<u>Remanence (Gauss)</u>	<u>Rem Perm</u>
Air	470	$\mu_0 \equiv 1.0$	0.0	0
Steel (hardened)	6200	13.19	400	30.3
Steel	6800	14.47	95	6.55
Iron	6800	14.47	57	6.55
Magnetite powder	950	2.02	75	37.13
Barium Ferrite	640	1.36	26.8	19.70
Dry particle	570	1.21	9	7.44
Swollen particle	510	1.09	1.5	1.37



EXAMPLE V

This example demonstrates the immobilization of an enzyme on the surface of the particles of this invention in such a way that its enzymatic activity is maintained:

5        In a 50 mL flask, 1.5 grams of air dried, triply loaded gel particles were dispersed in 25 mL toluene containing 10 mL of acetone. Also, 30 mg of polyethylenimine (Dow-Pl000) was added as a 2% solution in toluene. The 50 mL flask containing the suspension was slowly rotated and gradually  
10       heated to 70°C. A gentle stream of nitrogen was used to gradually remove the acetone. As the polarity of the solvent diminishes, the polyethylenimine (PEI) adsorbs to the surface of the particles. The so-deposited PEI was then crosslinked with 3 mg of ethylenebromide at 65°C in two hours. The par-  
15       ticles were then filtered off, washed with acetone and dried in a stream of nitrogen.

      The activation of the surface was accomplished by treating 200 mg of the PEI-coated particles with a reagent consisting of 2 mL phosphate buffer (pH = 7.4) and 0.1 mL of 0.5g  
20       glutaraldehyde in 5 mL isopropyl alcohol (Baker reagent grade). After shaking the suspension for 45 minutes at room temperature, the supernatant was discarded and the particles washed twice with 1 mL each of phosphate buffer.

25       Coupling of beta-galactosidase to the activated particles was accomplished by dissolving 20 mg of the enzyme (Sigma G5635-750 U/mg) in 0.5 mL of the same buffer and shaking the solution with the activated particles at 2°C for 3-  
30       1/2 hours before storing for 18 hours at 2°C. The particles were then washed with copious amounts of cold buffer, until no enzymatic activity could be detected in the supernatant. The washed enzymatically active, magnetically responsive particles were stored in the same buffer at 4°C.

To determine if the coupled enzyme had maintained its activity, 2 mg particles were introduced into an optical cuvette having an optical path length of 7 mm and 250  $\mu$ L of a substrate (ortho-nitro phenyl galactoside, 600 mg/L in pH = 7.5 phosphate buffer) were added. The particles were resuspended by shaking between successive readings. Prior to each reading of optical density at 420 nm wavelength, the reagent particles were drawn to the bottom of the cuvette by a permanent magnet. Readings were taken every 24 seconds. The color of ortho-nitrophenol developed rapidly. The initial rate of color development was greater than 300 mAU/min. In the absence of reagent particles, no such color developed.

EXAMPLE VI

This example demonstrates the immobilization of an antibody on the surfaces of particles of this invention.

A suspension of 170 mg of particles, as described in Example III, in 20 mL toluene was prepared and silanized with 5 mL glycidoxypropyltrimethoxy silane (Aldrich Chem. Co. #23,578-4) by refluxing overnight. The particles were then washed with toluene and subsequently with acetone and dried. The activated particles were shaken for 3 days at room temperature with 10 mL of a solution of 400 uL of a precipitated IgG fraction containing 35 mg/mL of goat-anti-rabbit antibody (Antibodies, Inc.), in phosphate buffer pH 8.0. The preparation was then washed three times with 10 mL each of the same buffer and subsequently reacted with 0.1% aqueous ethanolamine for 4 hours at room temperature for deactivation of unreacted epoxy groups on the particles. The particles were then washed three times with 10 mL portions of the same buffer and subjected to a thyroxine ( $T_4$ ) assay protocol. In this assay, 50 uL of a suspension (25 mg/mL) of the particles were incubated with 20 uL of sample (serum), 50 uL of  $T_4$ -conjugate ( $T_4$ -beta-galactosidase) and 50 uL of first antibody (anti- $T_4$  rabbit antiserum) for 15 minutes at 37°C in an optical cuvette. The magnetic reagent was magnetically sedimented and the supernatant discarded. The wash cycle was repeated once again using 1 mL of buffer. The particles were then suspended in the enzyme substrate of 500 uL of an ortho-nitrophenyl galactoside and, after 10 minutes at 37°C, 500 uL of molar sodium carbonate were added. The suspended particles were magnetically sedimented to the bottom of the cuvette and the absorption of the supernatant was measured at 420 nm wavelength. The amount of  $T_4$ -beta-galactosidase bound to the particles was calculated and compared with a commercial product of similar configuration. Such commercial

product was a cellulose-based solid phase sold by Technicon Instruments Corporation, the common assignee, under Part No. T01-1059. The fraction of the enzyme bound to the solid phase was comparable for both, i.e., between 34% and 35%.  
5 However, the non-specific binding (NSB) as determined in the absence of the first antibody was only a fraction of that found with the commercial product.

CLAIMS:

1. A stable magnetically responsive reagent carrier, comprising a matrix consisting of a polymeric material which is swellable in an aqueous medium, and a superpara-magnetic substance colloidally and stably dispersed within  
5 said matrix.
2. A carrier according to claim 1, wherein the magnetic response is greater than 20% of the magnetic response of magnetite.  
10
3. A carrier according to claim 1 or 2, wherein said matrix comprises an organic polymeric material, and/or a crosslinked gel, and preferably has a smooth surface when hydrated.  
15
4. A carrier according to any of claims 1 to 3, wherein said superparamagnetic substance comprises oxides of iron.
- 20 5. A carrier according to any of claims 1 to 4, wherein said superparamagnetic substance is dispersed in the polymeric matrix in sufficient quantity to impart a specific gravity of about between 1.2 and 2.7 to said reagent carrier when hydrated.
- 25 6. A carrier according to any of claims 1 to 5, wherein the colloidally dispersed superparamagnetic substance comprises granules having a diameter smaller than about 50 nm, and/or it constitutes at least about 20% by weight  
30 of said reagent carrier.

7. A carrier according to any of claims 1 to 6, wherein said matrix is substantially spherical and has an axial ratio of less than about 4:1, and preferably has a diameter of between about 0.5 and 100  $\mu\text{m}$  when hydrated.

5

8. A carrier according to any of claims 1 to 7, wherein a reagent is immobilized on the surface of said matrix, the reagent preferably being an enzyme, or an antibody, or an antigen, or a hapten or another ligand.

10

9. A process for preparing a magnetically responsive particulate reagent carrier by generating in situ a colloidally dispersed superparamagnetic moiety in the interior of a preformed polymeric matrix, said process

15 comprising the steps of: (a) incorporating by passive transport iron compounds into a water-insoluble swellable polymeric matrix; (b) converting the iron compounds so-incorporated to iron oxides; and (c) washing the polymeric matrix to remove soluble by-products.

20

10. A process according to claim 9, wherein said polymeric matrix is selected from polymers and copolymers of acrylamide and methacrylamide.

25 11. A process according to claim 9 or 10, wherein the step of incorporating said iron compounds comprises diffusing said iron compounds into said matrix, or introducing said polymeric matrix into a solution of iron compounds, to effect passive transport of said iron compounds through  
30 swelling of said polymeric matrix.

12. A process according to claim 9, 10 or 11, wherein said iron compounds are salts of divalent and/or trivalent iron.

13. A process according to any of claims 9 to 12, wherein the step of converting said iron salts comprises reacting said iron salts with a base to form iron hydroxides and subsequently converting said iron hydroxides to iron  
5 oxides, preferably by heating.

14. A process according to any of claims 9 to 13, including the step of washing said particles following conversion of said iron compounds to the iron oxides, to  
10 remove any soluble by-products contained in and/or adhering to said carrier particles, the said step of washing preferably including the step of ultrasonically washing said polymeric matrix.

15 15. A process according to any of claims 9 to 14, comprising the further step of heating the dried particles to permanently anchor to their surface any extraneous particulate reaction products adhering to said particles.

20 16. A process according to any of claims 9 to 15, including repeating the steps of (a) (b) and (c), so as to increase the concentration of said iron oxides in said polymeric matrix and thereby enhance the magnetic response of said particles.

25 17. A process according to any of claims 9 to 16, comprising the additional steps of drying the particles followed by heating them to elevated temperatures to increase the crosslink density of the polymeric matrix, thereby  
30 reducing their swelling capacity when exposed to water or aqueous solutions.

18. A process according to any of claims 9 to 17, comprising the further step of bonding a reagent onto said  
35 polymeric matrix.

19. The use of a reagent carrier as claimed in any of claims 1. to 8 or as made by the process of claim 18, in an immunoassay procedure, or in a manufacturing process involving enzymatic reactions, or in an isolation or  
5 purification process utilizing chemical affinity.





European Patent  
Office

# EUROPEAN SEARCH REPORT

0180384

Application number

EP 85 30 7513

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.4)
A	FR-A-2 454 098 (CORNING GLASS WORKS) * complete * & US - A - 4 297 337 (Cat. D)	1	G 01 N 33/546// G 01 N 33/553
A	US-A-4 169 804 (A.F. YAPEL) * column 4, lines 20-29; column 6, lines 24-45, 57-64 *	1	
A	US-A-4 115 534 (D.S. ITHAKISSIOS) * column 2, lines 50-63; column 5, paragraph 4 *	1	
X	US-A-4 452 773 (R.S. MOLDAV) * complete *	1, 4, 8-11, 19	TECHNICAL FIELDS SEARCHED (Int. Cl.4)  G 01 N 33/00
The present search report has been drawn up for all claims			
Place of search BERLIN		Date of completion of the search 09-07-1987	Examiner GREEN C.H.
<b>CATEGORY OF CITED DOCUMENTS</b>			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on or after the filing date D : document cited in the application L : document cited for other reasons  & : member of the same patent family, corresponding document	

**THIS PAGE BLANK (USPTO)**